



Water repellent - Transparent - Easy-to-Clean - Anti-bacterial

Functioning:

After the surface is coated and the time for the coating to set (24h) has passed, the material can be easily tested by pouring a bit of water over the treated surface. This will result in water droplets and the water should roll off without difficulty.

➤ **Preparation:**

To guarantee optimal performance it's important that the surface is fully cleaned, dry and cleared of dirt and grease before treating. Clean the surface with a proper cloth and degreaser to remove grease, dirt and other stains. If the surface is badly polluted, a strong alcohol based cleaner is recommended previous to using the degreaser. Do not use a rough cloth as this can lead to scratches.

Precisely execute following steps!

➤ **Application:**

1. Must be treated away from sunlight!
2. Shake bottle
3. Spray a little amount of Nanoskin Glass & Ceramics over a small area
4. Rub the coating over the surface area in a circular motion using a clean microfiber cloth, pad or cotton towel
5. Do this for the entire surface so that everything is evenly covered. Make sure the entire surface is treated and the product is evenly distributed. Do not wipe dry!
6. Consumption is about 20 ml / m²
7. Allow to dry for 20 minutes at room temperature
8. Wipe the glass gently with a clean cloth and an alcohol based cleaner so that all residues (white remnants, ...) are gone.
9. Let it cure for 24 hours

➤ **Curing:**

After coating, the surface should be kept dry for at least 24 hours to obtain optimal performance.

➤ **Cleaning:**

After treating with Nanoskin Glass & Ceramics, the need for expensive and environmentally unfriendly cleaning agents and detergents will reduce significantly. Periodical cleaning will still be necessary, but there will be no need for expensive and environmentally unfriendly cleaning agents and detergents. To remove fingerprints and dirt and keep the hydro phobic effect, wiping with a damp cloth is sufficient. It's recommended to clean the treated surfaces now and then with clean water and/or a non-aggressive cleaner to retain optimal performance. Do not use a rough cloth as it can lead to scratches.

➤ **Durability:**

The coating can, depending on the use and maintenance, remain active for 5 years.

➤ **Important:**

- Wearing of gloves and a paint or dust mask is recommended
- Make sure that the area to be treated is well ventilated
- Do not expose to open fire and do not store in direct sunlight
- Store in a tight closed container and keep out of reach from children
- In case of eye contact, immediately wash with water
- Storage temperature between 3 and 30 °C
- DO NOT swallow! If so, consult a doctor right away if necessary and contact the anti-poison center +32 (0) 70 245 245
- Not recommended for car windows! Use Nanoskin Car Window instead.
- Storage life: 2 years